

**bueho.pdf.dop.subline**

bueho.pdf.dop.nr

bueho.pdf.dop.code

**LE-H55053-03 e-plax® 40 DetektionsAbdichtungsbahn**

**bueho.pdf.dop.usage**

- Base layer of bituminous roofing systems
- Basement waterproofing systems against soil moisture

**bueho.pdf.dop.company**

BÜSSCHER & HOFFMANN GmbH

A-4470 (AT) Fabrikstraße 2

Tel.: +43 (7223) 823 23-0

Web: www.bueho.com

E-Mail: office@bueho.at

**bueho.pdf.dop.assessment**

system2+

EN 13707:2004 + A2:2009

EN 13969 (Typ A)

**bueho.pdf.dop.harmonized\_norm**

EN 13707:2004 + A2:2009

EN 13969 (Typ A)

**bueho.pdf.dop.notified\_body**

1139 WIEN-ZERT Rinnböckstraße 15 , A-1110 Wien

**bueho.pdf.dop.certificate**

1139-CPR-0027/06

**bueho.pdf.dop.declared\_performance**

bueho.pdf.dop.characteristics	bueho.pdf.dop.performance	bueho.pdf.dop.spec
Watertightness	100 kPa	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
External fire exposure	NPD	EN 13707:2004 + A2:2009
Reaction to fire test	E	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Shear resistance of joints	NPD	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Tensile force long./trans.	1200/1000 (±200/±200) N/50mm	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Elongation at single-end breaking force	10/10 (±5/±5) %	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Resistance to impact	NPD	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Resistance to static loading	NPD	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Resistance to tearing (nail shank) long./trans.	200/200 (±50/±50) N	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Flexibility at low temperatures	-25 °C	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Watertightness transmission after artificial aging	100 kPa	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Watertightness after exposure to liquid chemicals	NPD	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Hazardous substances	bueho.pdf.dop.attribute.val.keine	EN 13707:2004 + A2:2009 EN 13969 (Typ A)

**bueho.pdf.dop.footer\_text**

bueho.pdf.dop.before\_signing

A handwritten signature in black ink, appearing to read 'Karl Landl', written in a cursive style.

Bmstr. Dipl. Ing. Karl Landl

bueho.pdf.dop.general\_manager

bueho.pdf.dop.a\_text

bueho.pdf.dop.b\_text