

**bueho.pdf.dop.subline**

bueho.pdf.dop.nr

bueho.pdf.dop.code

**LE-H55053-03 e-plax® 40 DetektionsAbdichtungsbahn****bueho.pdf.dop.usage**

- Donji sloj za višeslojne krovne bitumenske sisteme
- Hidroizolacija temelja od vlage iz tla

**bueho.pdf.dop.company**

BÜSSCHER &amp; HOFFMANN GmbH

A-4470 (AT) Fabrikstraße 2

Tel.: +43 (7223) 823 23-0

Web: www.bueho.com

E-Mail: office@bueho.at

**bueho.pdf.dop.assessment**

system2+

EN 13707:2004 + A2:2009

EN 13969 (Typ A)

**bueho.pdf.dop.harmonized\_norm**

EN 13707:2004 + A2:2009

EN 13969 (Typ A)

**bueho.pdf.dop.notified\_body**

1139 WIEN-ZERT Rinnböckstraße 15 , A-1110 Wien

**bueho.pdf.dop.certificate**

1139-CPR-0027/06

**bueho.pdf.dop.declared\_performance**

bueho.pdf.dop.characteristics	bueho.pdf.dop.performance	bueho.pdf.dop.spec
Vodonepropusnost	100 kPa	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Otpornost na požar iz vana	NPD	EN 13707:2004 + A2:2009
Reakcija na požar	E	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Otpornost spojeva na smik	NPD	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Prekidna sila uzdužno/poprečno	1200/1000 (±200/±200) N/50mm	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Istezanje pri slomu	10/10 (±5/±5) %	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Otpornost na udar	NPD	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Otpornost na statičko opterećenje	NPD	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Otpornost na trganje uzdužno/poprečno	200/200 (±50/±50) N	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Savitljivost pri niskim temperaturama	-25 °C	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Vodonepropusnost nakon umjetnog starenja	100 kPa	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Vodonepropusnost nakon izlaganja tekućim kemikalijama	NPD	EN 13707:2004 + A2:2009 EN 13969 (Typ A)
Opasne tvari	bueho.pdf.dop.attribute.val.keine	EN 13707:2004 + A2:2009 EN 13969 (Typ A)

**bueho.pdf.dop.footer\_text**

bueho.pdf.dop.before\_signing

A handwritten signature in black ink, appearing to read 'Karl Landl', written in a cursive style.

Bmstr. Dipl. Ing. Karl Landl

bueho.pdf.dop.general\_manager

bueho.pdf.dop.a\_text

bueho.pdf.dop.b\_text